

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Aly Dossa (Reg No: 63372) on 4/7/2010.

The application has been amended as follows:

Amendments to the claims:

Claim 4 (currently amended): Method according to claim 1, characterized in that a command is sent to the smart card for ~~Resetting~~ Updating the counter.

Amendments to the specification:

Page 7, Line 6: B- ~~Reset~~/Update counter

Page 9, Line 16: ~~Reset~~/Update counter request with the value ~~zero~~ zero to the MECK2 counter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SIMON KANAAN whose telephone number is (571)270-3906. The examiner can normally be reached on Mon-Thurs 7:30-5:00 EST.

Art Unit: 2432

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 5712723799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/SIMON KANAAN/
Examiner, Art Unit 2432

/Gilberto Barron Jr./
Supervisory Patent Examiner, Art Unit 2432